

Tishk International University
IT Department
Course Code: IT-117

Programming I

Lecture 3



Casting, Arithmetic, Random,
Flowchart

Fall 2023

Hemin Ibrahim
hemin.ibrahim@tiu.edu.iq



Outline



- Arithmetic Operations
- Precedence (Priority) of Operations
- Mathematical Expressions
- Type Casting
- Character Literals
- Getline (String Object)
- Random Number
- Flowchart

Objectives



- Understand and apply basic arithmetic operations, including addition, subtraction, multiplication, division, and module.
- Comprehend the rules governing the order of execution in mathematical expressions.
- Importance of declaring variables and initializing them with values
- Understand the concept of type casting and its role in programming
- Understand the ASCII and Unicode encoding schemes for character representation.
- Explore the generation of random numbers in programming
- Learn the basic symbols and conventions used in flowchart diagrams

Arithmetic Operators



Operator	Meaning	Example
+	Addition	<code>total = cost + tax;</code>
-	Subtraction	<code>cost = total - tax;</code>
*	Multiplication	<code>tax = cost * rate;</code>
/	Division	<code>salePrice = original / 2;</code>
%	Modulus	<code>remainder = value % 3;</code>

* If the operands of the division operator are both integers result will be integer.

Arithmetic Operators



```
#include <iostream>
using namespace std;

int main() {
    double basePayRate = 10.25;
    double regularHours = 40.0;
    double overtimePayRate = 20.5;
    double overtimeHours = 13;

    double regularWages, overtimeWages, totalWages;

    // Calculate the regular wages.
    regularWages = basePayRate * regularHours;

    // Calculate the overtime wages.
    overtimeWages = overtimePayRate * overtimeHours;

    // Calculate the total wages.
    totalWages = regularWages + overtimeWages;

    // Display the total wages.
    cout << "Wages for this week are $" << totalWages << endl;

    return 0;
}
```

Output:

Wages for this week are \$676.5

Arithmetic Operators - Example



Create a C++ program to find the sale price of an item initially priced at \$39.99, with a 20% discount.

Output the regular price, discount amount, and final sale price.

Output:

Regular price: \$39.99

Discount amount: \$7.998

Sale price: \$31.992

```
#include <iostream>
using namespace std;

int main() {
    // Variables to hold the regular price, the amount of a discount, and
    // the sale price.
    double regularPrice = 39.99;
    double discount;
    double salePrice;

    // Calculate the amount of a 20% discount.
    discount = regularPrice * 0.2;

    // Calculate the sale price by subtracting the discount from the
    // regular price.
    salePrice = regularPrice - discount;

    // Display the results.
    cout << "Regular price: $" << regularPrice << endl;
    cout << "Discount amount: $" << discount << endl;
    cout << "Sale price: $" << salePrice << endl;

    return 0;
}
```

Precedence(Priority) of Operators

Precedence of Arithmetic Operators:

- Parentheses $()$ are evaluated first. The expression in the innermost parentheses is evaluated first if the parentheses are nested.
- After parentheses **multiplication** ($*$), **division** ($/$), **modulus** ($\%$) operators are evaluated.
- **Addition** ($+$) and **Subtraction** ($-$) are evaluated last.
- The operators with the same precedence are evaluated left to right.

$$3 * 5 + 2 = 17$$

$$3 * (5 + 2) = 21$$

$$5 + 3 * 4 - 2 = 15$$

$$6 * 8 / 4 = 12$$

$$6 * (8 / 4) = 12$$

$$(12 / (8 - 2)) = 2$$

$$8 + (7 - 9) = 6$$

$$9 + 3 + 4 - 2 = 14$$

$$16 / 4 * 2 = 8$$











$$4 / 2 - 2 = 0$$

C++ Operators can be divided into 3 levels according to their precedence

- First: $()$
- Second: $*$, $/$, $\%$
- Third: $+$, $-$

Precedence(Priority) of Operators - Example

```
#include <iostream>
using namespace std;
int main(){

    cout << 4 * 6 / 2 << endl;  12
    cout << 6 / 3 * 2 << endl;  4
    cout << 9 / 3 / 2 << endl;  1
    cout << 3 + 5 - 2 << endl;  6
    cout << 9 - 6 - 2 << '\n';  1
    cout << 9 - (6 - 2) << '\n';  5
    cout << 9 / 3 + 3 * 3 << endl;  12
    cout << 12 / (3 + 3) * 3 << endl;  6
    cout << 3 * 2 / 2 + 2 - 5 << endl;  0
    cout << 3 * 2 / 2 + 2 - 8 / 4 << endl;  3

    return 0;
}
```


Arithmetic expressions in C++



Arithmetic expressions in C++ must be entered into the computer in **straight line form**.

$$\frac{A + B}{C + D}$$

becomes in C++

$$(A + B) / (C + D)$$

$$A + \frac{B}{C} + D$$

becomes in C++

$$A + (B / C) + D$$

$$\frac{1}{1 + 2x^2}$$

becomes in C++

$$1 / (1 + 2 * x * x)$$

Mathematical Expressions - Division

If one (or both) of the operands of the division operator is (are) double result will be double.

```
#include <iostream>
using namespace std;
int main(){
    double numerator, denominator;

    cout << "Enter the numerator: ";
    cin >> numerator;
    cout << "Enter the denominator: ";
    cin >> denominator;

    cout << "The decimal value is ";
    cout << (numerator / denominator) << endl;

    return 0;
}
```

```
Enter the numerator: 5
Enter the denominator: 2
The decimal value is 2.5
```



Mathematical Expressions - Division

If the operands of the division operator are both integers result will be integer.

```
#include <iostream>
using namespace std;
int main(){
    int numerator, denominator;

    cout << "Enter the numerator: ";
    cin >> numerator;
    cout << "Enter the denominator: ";
    cin >> denominator;

    cout << "The decimal value is ";
    cout << (numerator / denominator) << endl;

    return 0;
}
```

```
Enter the numerator: 5
Enter the denominator: 2
The decimal value is 2
```



Type Casting

A type cast expression lets you manually promote or demote a value. The general format of a type cast expression is:

Data_type(Value)

OR

(DataType)Value

Example:

```
double number = 3.7;
```

```
int val;
```

```
val = int(number);
```

```
#include <iostream>
using namespace std;
int main(){

    double number = 3.7;
    cout<<"number = "<<number<<endl;
    cout<<"int(number) = "<<int(number)<<endl;
    return 0;
}
```

Output:

```
number = 3.7
int(number) = 3
```

A value in any of the built-in types can be converted to any of the other types.

Example:

- `(int) 3.14` // changes to int to give 3
- `(double) 2` // changes 2 to a double type 2.0
- `(char) 65` // change 65 to character A

Type Casting - example



Create a C++ program that asks the user for their reading habits. Prompt them to input the total number of books they plan to read and the months they'll spend reading. Calculate and show the average number of books per month.

```
#include <iostream>
using namespace std;
int main(){

    int books; // Number of books to read
    int months; // Number of months spent reading
    double perMonth; // Average number of books per month

    cout << "How many books do you plan to read? ";
    cin >> books;
    cout << "How many months will it take you to read them? ";
    cin >> months;

    perMonth = double(books) / months;
    // Also you can write: perMonth = (double) books / months;

    cout << "That is " << perMonth << " books per month.\n";

    return 0;
}
```


Output:

```
How many books do you plan to read? 3
How many months will it take you to read them? 4
That is 0.75 books per month.
```



Character Literals

The most commonly used method for encoding characters is **ASCII**, which stands for the American Standard Code for Information Interchange.



ASCII Value	Char	ASCII Value	Char	ASCII Value	Char	ASCII Value	Char
32	' '	61	=	81	Q	105	i
33	!	62	>	82	R	106	j
34	"	65	A	83	S	107	k
42	*	66	B	84	T	108	l
43	1	67	C	85	U	109	m
45	-	68	D	86	V	110	n
47	/	69	E	87	W	111	o
48	0	70	F	88	X	112	p
49	1	71	G	89	Y	113	q
50	2	72	H	90	Z	114	r
51	3	73	I	97	a	115	s
52	4	74	J	98	b	116	t
53	5	75	K	99	c	117	u
54	6	76	L	100	d	118	v
55	7	77	M	101	e	119	w
56	8	78	N	102	f	120	x
57	9	79	O	103	g	121	y
60	<	80	P	104	h	122	z

Char example



Write a program that is printing the corresponding ASCII of each letter of "TIU"

```
#include <iostream>
using namespace std;

int main() {

    cout << "ASCII value of 'T': " << int('T') << endl;
    cout << "ASCII value of 'I': " << int('I') << endl;
    cout << "ASCII value of 'U': " << int('U') << endl;

    return 0;
}
```

Output:

```
ASCII value of 'T': 84
ASCII value of 'I': 73
ASCII value of 'U': 85
```


Arithmetic operators and expressions



```
16
17 cout << "10 + 3= " << 10 + 3 << endl;
18 cout << "10 - 3= " << 10 - 3 << endl;
19 cout << "10 * 3= " << 10 * 3 << endl;
20 cout << "11 / 5= " << 11 / 5 << "\n";
21 cout << "11.0 / 5.0= " << 11.0 / 5.0 << '\n';
22 cout << "(int)11 / 5= " << (int)11 / 5 << '\n';
23 cout << "(int)11.0 / 5.0= " << (int)11.0 / 5.0 << '\n';
24 cout << "(int)(11.0 / 5.0)= " << (int)(11.0 / 5.0) << '\n'; //casting
25 cout << "(float)11 / 5= " << (float)11 / 5 << "\n"; //casting
26 cout << "10.0 / 3= " << 10.0 / 3 << '\n';
27 cout << "10 / 3.0= " << 10 / 3.0 << '\n';
28 cout << "10 % 3= " << 10 % 3 << '\n';
29 cout << 5 << '+' << 1 << '=' << 5 + 1 << endl;
30
```

```
10 + 3= 13
10 - 3= 7
10 * 3= 30
11 / 5= 2
11.0 / 5.0= 2.2
(int)11 / 5= 2
(int)11.0 / 5.0= 2.2
(int)(11.0 / 5.0)= 2
(float)11 / 5= 2.2
10.0 / 3= 3.33333
10 / 3.0= 3.33333
10 % 3= 1
5+1=6
```



Characters and string Object

- Using **cin** with the **>>** operator for string input can lead to potential issues.
- **cin** ignores leading whitespace characters (**spaces, tabs, line breaks**) when reading input.
- Once **cin** encounters the first nonblank character, it **stops** reading at the next whitespace character.
- To address this limitation, the **getline** function in C++ can be used.
- **getline** reads an entire line, including leading and embedded spaces, and stores it in a string object..



Characters and string Object - Example

```
#include <iostream>
using namespace std;
int main(){

    string name, city;

    cout << "Please enter your name: ";
    cin >> name;
    cout << "Enter the city you live in: ";
    cin >> city;

    cout << "Hello, " << name << endl;
    cout << "You live in " << city << endl;

    return 0;
}
```

Using cin>>

?

```
Please enter your name: Alan Ahmed
Enter the city you live in: Hello, Alan
You live in Ahmed
```

Characters and string Object - Example

```
#include <iostream>
#include <string>
using namespace std;
int main(){
    string name, city;

    cout << "Please enter your name: ";
    getline(cin, name);
    cout << "Enter the city you live in: ";
    getline(cin, city);

    cout << "Hello, " << name << endl;
    cout << "You live in " << city << endl;

    return 0;
}
```

Using getline

Adding <string>

Output:

```
Please enter your name: Alan Ahmed
Enter the city you live in: Erbil
Hello, Alan Ahmed
You live in Erbil
```

Random Numbers

- Random numbers are useful for lots of different programming tasks. The C++ library has a function, **rand()**, that you can use to generate random numbers.

```
#include <iostream>
using namespace std;
int main(){

    // Seed the random number generator.
    srand(time(0));

    // Display three random numbers.
    cout << rand() << endl;
    cout << rand() << endl;
    cout << rand() << endl;


    return 0;
}
```

Output:






```
602620988
1366704749
631888070
```

Flowchart

- A flowchart is a picture (graphical representation) of the problem-solving process.
- A flowchart gives a step-by-step procedure for solution of a problem.
- Using flowcharts can show the sequence and logic of each step before writing a computer program.
- Even people with little programming knowledge can understand flowcharts.




Flowchart Elements

	Symbol	Symbol Name	Purpose
Ellipse		Start/Stop	Used at the beginning and end of the algorithm to show start and end of the program.
Rectangle		Process	Indicates processes like mathematical operations.
Parallelogram		Input/ Output	Used for denoting program inputs and outputs.
Diamond		Decision	Stands for decision statements in a program, where answer is usually Yes or No.
		Arrow	Shows relationships between different shapes.

Flowchart - Example1




Draw a flowchart to represent the process of calculating the summation of two numbers



Flowchart - Example2




Draw a flowchart to represent the process of calculating the average of two numbers



Flowchart

“**draw.io**” is a popular online diagramming tool that allowed users to create various types of diagrams, including flowcharts.

Through draw.io or app.diagrams.net can access to the app to create flowcharts.



Flowchart to C++

Flowchart



Program

```

#include<iostream>
using namespace std;

int main()
{
    /*we need to give only one input
    to program i.e., inches*/

    float inch;

    float cm;
    cout<<"Enter inches:"<<endl;
    cin>>inch;

    cm = 2.54* inch;
    cout<<"Equivalent peso is:"<<cm;

    return 0;
}
  
```

Thank You

